
TRET 'YAKOV, A. F.; SHCHEPOT YEVA, Y. S.; FRENKLAKH, Kh. G.

Treatment of chronic eczema with radioactive bandages containing active substances of thoron decay products (alpha therapy). Vest. derm. i ven. 34 no.1:35-41 Ja 160. (MIRA 14:12)

1. Iz radiologicheskoy laboratorii (zav. - prof. Ye. S. Shchepot'yeva)
Gosudarstvennogo nauchno-issledovatel'skogo instituta kurortologii i
fizioterapii (dir. - kandidat meditsinskikh nauk G. N. Pospelova) i
Klinicheskoy kozhno-venerologicheskoy bol'nitsy imeni Korolenko
(glavnyy vrach A. I. Pustovaya).

(ALPHA RAYS_THERAPEUTIC USE) (ECZEMA) (THORIUM_THERAPEUTIC USE)



TRETTY A KOV, A.I.

PHASE I BOOK EXPLOITATION SOV/3700

Moscow. Dom nauchno-tekhnicheskoy propagandy im. F.Ye. Dzerzhinskogo

Nakatyvaniye zubchatykh koles (Gear Rolling) Moscow, 1958. 35 p. (Series: Feredovoy opyt proizvodstva. Seriya "Tekhnologiya mashinostroyeniya," vyp. 11, Otrabotka metallov davleniyem) 4,000 copies printed.

Ed.: A.V. Rebel'skiy; Tech. Ed.: R.A. Sukhareva.

PURPOSE: This booklet is intended for qualified workers in the field of gear rolling.

COVERAGE: The two articles in this booklet give data obtained from experiments carried out at the Konotop "Krasnyy metallist" Plant in cooperation with TSNITTMASh (Central Scientific Research Institute of Technology and Machine Building) to improve the process of hot and cold gear rolling. No personalities are mentioned. There are no references.

TABLE OF CONTENTS:

Tret'yakov, A.I. Experience Gained in Rolling Toothed Gears at the Konotop Electromechanical Plant "Krasnyyme tallist".

Card 1/2

3

Gear Rolling

sov/3700

The author describes two methods for rolling gears and gear-rolling equipment developed and introduced at the "Krasnyy metallist" plant. He also gives specifications for comparison with teeth made by other methods.

Increasing the Life of Forming Gears . Used for Cold Shaukstel', L.S. Rolling of Small Module Gears The author discusses the design and manufacturing processes of forming gears and arbors, the selection of material, and the rolling regime.

He also gives instructions for operation and for determining the life of

forming gears.

AVAILABLE: Library of Congress

VK/mg 6-27-60

20

Card 2/2

CIA-RDP86-00513R001756530005-9" APPROVED FOR RELEASE: 03/20/2001

TRET'YAKOV, A.K., kand.tekhn.nauk; FILONIDOV, A.M., inzh.

Use of ultrasonic waves in studying the quality of concrete in the bridge crossing beams of the Kremenchug Hydroelectric Power Station.

(MIRA 16:12)

1. Moskovskiy inzhenerno-stroitel'nyy institut im. Kuybysheva.

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

TRETIYAKOV, Anatoliy konstantinovien, kand. tekhn. nauk; YEALI, B.G., naucma. red.; ST. ROSVETUVA, V.G., red.

[Concrete work] betonnyo raboty. Moskva, Vysshaia shkola, (MIMA 17:8)


1964. 254 p.

TRET YAKOV, A.K., kand.tekhn.nauk; FILONIDOV, A.M., inzh.

Study of solid concrete with ultrasonic waves. Energ. stroi. (MIRA 15:9) no.27:61-66 '62.

1. Moskovskiy ordena Trudovogo Krasnogo Znameni inzhenernostroitel'nyy institut imeni Kuybysheva. (Ultrasonic waves--Industrial applications) (Concrete--Testing)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"



FILONIDOV, A.M., inzh.; TRET'YAKOV, A.K., kand.tekhn.nauk

Ultrasonic strength control of concrete in bridge beams.

Transp. stroi. ll no.8:47-48 Ag '61. (MIRA 14:9)

(Ultrasonic waves—Industrial applications)

(Beams and girders)

TRET'YAKOV, A.K., kand.tekhn.nauk; FILONIDOV, A.M., inzh.

Using utlrasonic methods in testing the quality of concrete.
Gidr.stroi. 30 no.2:49-50 F '60. (MRA 13:5)
(Concrete--Testing)
(Ultrasonic waves--Industrial applications)

TRET'YAKOV, A. K.

TRET'YAKOV, A. K.: "Investigation of methods of separate concrete work on hydraulic-engineering construction." Moscow, 1955. Min Higher Education USSR. Moscow Order of Labor Red Banner Construction Engineering Inst imeni V. V. Kuybyshev. (Dissertation for the Degree of Candidate of TECHNICAL SCIENCES)

SO: Knizhnaya Letopis! No. 51, 10 December 1955

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

TRET'YAKOV,A.K.,kand.tekhm.nauk; FILCHIEGV,A.E.,insh.; ERISTOV,V.S.,
prof.,red.

[Control of consiste by ultrasonic waves in hydraulicengineering construction] Kontrol' betong ul'trazvukom v
gidrotekhnicheskom stroitel'stve. Hockva, Energiia, 1964.
85 p. (MIRA 17:10)

DANILOV, Nikolay Nikolayevich, kand. tekhn. nauk; SHREYBER, Andrey Konstantinovich, kand. tekhn. nauk; TRET'YAKOV, A.K., nauchnyy red.; MAKAROVA, L.V., red.; PERSON, M.N., tekhn. red.

[Concrete construction]Proizvodstvo betonnykh rabot. Moskva, Proftekhizdat, 1962. 237 p. (MIRA 15:9) (Concrete construction)

TRET'YAKOV, A.K., kand.tekhn.nauk; FILONIDOV, A.M., inzh.

Advantages of the application of ultrasonic waves in testing concrete for strength. Energ.stroi. no.25:51-54 '61. (MIRA 15:4)

1. Moskovskiy inzhenerno-stroitel'nyy institut im. V.V.kuybysheva. (Concrete construction) (Ultrasonic testing) (Kremenchug Hydroelectric Power Station--Concrete construction)

SHARIPOV, V.Sh.; MUSIN, A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;

TRET'YAKOV, A.M.

Improvements in the technology of ore mining in Dzhezkazgan. Trudy
Inst. gor. dela AN Kazakh, SSR 2:24-43 '57. (MIRA 10:12)

(Dzhezkazgan--Mining engineering)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

ENGLISH STATE OF THE STATE OF T

SHARIPOV, Vakhit Sharipovich, kand.tekhn.nauk; KUNTUKOV, Yuriy Grigor'yevich, inzh.; MUZGIN, Sergey Spiridonovich, kand.tekhn.nauk; TKACHENKO, Artem Mikhaylovich; THET'YAKOV, Aleksey Mikhaylovich, inzh.; SHCHEHBAK, Georgiy Sergeyevich, inzh.; TAHASOV, L.Ya., red.; PARTSEVSKIY, V.N., red.izd-va; ATTOPOVICH, M.K., tekhn.red.

[Hole drilling equipment] Karetki i agregaty dlia bureniia shpurov. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1959. 134 p. (MIRA 12:4)

1. Institut gornogo dela AN KazSSR (for all except Tarasov, Partsevskiy, Attapovich).

(Boring machinery)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

TRET'YAKOV, A. N. Result of training of sanitation-epidemiologic personnel for centers of the Riazan district . Gig. sanit., Moskva no.?: 47-49 July 1951. (CIML 21:1) 1. Of Ryazan' Oblast Sanitary-Epidemiological Station.

TRET YAKOV, A. N.

AID P - 2481

: USSR/Medicine Subject

Card 1/1 Pub. 37 - 10/19

Tret'yakov, A. N., Yavel'berg, G. I. Authors

Problem of the organization of laboratory control in Title

industrial establishments

Periodical: Gig. 1 san., 7, 42-43, J1 1955

Discusses the desirability of establishing laboratories Abstract

of sanitation chemistry in all leading plants for the control of the purity of air and for helping the administration to work out appropriate sanitary measures.

Ryazan Regional Medical and Epidemiological Station

Sept. 18, 1954 Submitted:

Institution:

CIA-RDP86-00513R001756530005-9" APPROVED FOR RELEASE: 03/20/2001

TRETITAKOV. A., redaktor; MINSKER, S., redaktor.

[Essays on the development of railroad science and technology] Ocherki razvitila shelesnodorozhnoi nauki i tekhniki. [Redaktory A.Tret'lakov, S.Minsker] Moskva, Gos. transp. shel-dor. izd-vo, 1953. 322 p. (MIRA 6:10) (Railroads)

TRET 'YAKOV, A. P.

Tekhnicheskaya osnova rosra gruzooborota zheleznodorozhnogo transporta. Po matalialam "Voskresnykh chteniy" Politekhn muzeya. M., "Znoniye", 1954, 40 s. 20sm (Vsesoyuz o-va po rasprostraneniya polit. i nauch. znaniy. Seriya 4. No 30). 51,500 ekz. 60 K. - (54-54382) p 656.2.

SO: Knizhmaya Letopis, Vol 1, 1955

TRET YAKOV, A.P., kand.tekhn.nauk; BLIZNYANSKIY, A.S., inzh., red.; SOFIANO, N.K., red.; PEREVERZEVA, T.A., tekhn.red.

[Modern powerful diesel locomotives, built in foreign countries]
Sovremennye moshchnye zarubezhnye teplovozy. Red.A.S.Bliznianskii.
Moskva, Vses.in-t nauchn.i tekhn.informatsii, 1959. 89 p.

(MIRA 13:3)

(Diesel locomotives)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

TRET'YAKOV, A. F., YEMEL'YANOV, N. F.

"Sanitary-hydienic cheracteristics of the machine-and-tractor service stations and lavor conditions of farm mechanics of Ryazanskaya Oblast."

report submitted at the 13th All-Union Congress of Hygienists, Epidemiologists and Infectionists, 1959.

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

TRETYAKOV, A.P.

MIKHAYLOV, V.F., doktor tekhnicheskikh nsuk, professor; TRETYAKOV, A.P., kundidat tekhnicheskikh nsuk.

Hethod of drawing up intensive schedules of locomotive utilization.

(MIRA 8:5)

Trudy HIIT no.79:174-215 '53.

(Locomotive—Performance)

TRET'YAKOV A.P.; RYSHCHUK, N.S., redaktor; BOBROVA, Ye.N., tekhnicheskiy
rodaktor

[Scientists and inventors in railroad transportation; collected
articles] Uchenye i izobretateli zheleznodorozhnogo transporta;
sbornik statei. Moskva, Gos. transp. zhel-dor. izd-vo, 1956. 227 P.
(Engineers) (Inventors) (Railroad research) (MIRA 10:4)

TRET'YAKOV, A. P. and NIKOLAEV, IVAN IVANOVICH

Podvizhnoi sostav i tiaga poezdov. Dop. v. kachestve uchebn. posobiia dlia in-tov zhel-dor. transporta ekspluatatsionnoi septsial'nosti. Moskva, Transzheiforizdat, 1950. 463 p. diagrs.

Rolling stock and train traction.

DLC: TF85.N5

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.

THE I YAKOV, HIT.

NIKOLAYEV, Ivan Ivanovich, professor, redaktor; MIKHAYLOV, Vladimir Fedorovich, professor; TRET'YAKOV, Aleksandr Petrovich, kandidat tekhnicheskikh nauk; BOCHAROV, Nikolay Filippovich, kandidat tekhnicheskikh nauk; TSHLISHCHEV, P.A., inzhener, redaktor; VERINA, G.P., tekhnicheskiy redaktor.

[Rolling stock and locomotives] Podvizhnoi sostav i tiaga.poezdov. Izd. 2-e, perer. Moskva, Gos. transportnoe zhel-dor. izd-vo, 1955. 439 p. (MLRA 8:6)

1. Chlen-korrespondent Akademii nauk SSSR (for Nikolayev). (Railroads--Rolling stock) (Locomotives)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

political of the control of the cont

* / INS. /

SOUTH STREET, STREET,

ANDREYEV, A.B.; ANTONOV, A.I.; ARAPOV, P.P., BARMASH, A.I., BEDNYAKOVA, A.B.; BENIN, G.S.; BERESNEVICH, V.V.; HERNSHTEYN, S.A.; BITYUTSKOV. V.I.; BLYUMENBERG, V.V.; BONCH-BRUYEVICH, M.D.; BORMOTOV, A.D.; BULGAKOV, N.I.; VEKSLER, B.A.; GAVRILENKO, I.V.; GENDLER, Ye.S., [deceased]; GERLIVANOV, N.A., [deceased]; GIBSHMAN, Ye.Ye.; GOLDOVSKIY, Ye.M.; GORBUNOV, P.P.; GORYALNOV, F.A.; GRINBERG, B.G.; GRYUNER, V.S.; DANOVSKIY, N.F.; DZEVUL'SKIY, V.M., [deceased]; DREMAYLO, P.G.; DYBETS, S.G.; D'YACHENKO, P.F.; DYURNBAUM, N.S., [deceased]; YELORCHENKO, B.F. [deceased]; YEL'YASHKEVICH, S.A.; ZHEREBOV, L.P.; ZAVEL'SKIY, A.S.: ZAVEL'SKIY, F.S.; IVANOVSKIY, S.R.; ITKIN, I.M.; KAZHDAN, A.Ya.; KAZHINSKIY, B.B.; KAPLINSKIY, S.V.: KASATKIN, F.S.; KATSAUROV, I.N.; KITAYGORODSKIY, I.I.; KOLESNIKOV, I.F.; KOLOSOV, V.A.; KOMAROV, N.S.; KOTOV, B.I.; LINDE, V.V.; LEBEDEV, H.V.; LEVITSKIY, N.I.; LOKSHIN, Ya.Yu; LUTTSAU, V.K.; MANNERBERGER, A.A.; MIKHAYLOV, V.A.; MIKHAYLOV, N.M.; MURAY'YEV, I.M.; MYDEL MAN, G.E.; PAVLYSHKOV, L.S.; POLUYANOV, V.A.; POLYAKOV, Ye.S.; POPOV, V.V.; POPOV, N.I.; RAKHLIN, I.Ye., RZHEVSKIY, V.V.; ROZENBERG, G.V.; ROZENTRETER, B.A.: ROKOTYAN, Ye.S.: RUKAVISHNIKOV, V.I.: RUTOVSKIY, B.N. [deceased]; RYVKIN, P.M.; SMIRNOV, A.P.; STEPANOV, G.Yu. STEPANOV, Yu.A.: ARASOV, L.Ya.; TOKAREV, L.I.; USPASSKIY, P.P.; FEDOROV, A.V.: FERE, N.R.: FRENKEL!, N.Z.: KHEYFETS, S.Ya.: KHLOPIN. M.I.; KHODOT, V.V.; SHAMSHUR, V.I.; SHAPIRO, A.Ye.; SHATSOV, M.I.; SHISHKINA, N.N.; SHOR, E.R.; SHPICHEMETSKIY, Ye.S.; SHPRINK, B.E.; SHTERLING, S.Z.; SHUTTYY, L.R.; SHUKHGAL TRR, L. Ya.; ERVAYS, A.V.; (Continued on next card)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

ANDREYEV. A.B. (continued) Card 2.

YAKOVLEV, A.V.; ANDREYEV, Ye.S., retsenzent, redaktor; BERKEN-GETM, B.M., retsenzent, redaktor; BERMAN, L.D., retsenzent, redaktor; BOLTINSKIY, V.N., retsenzent, redaktor; BONCH-BRUYEVICH, V.L., retsensent, redaktor; VELLER, M.A., retsensent, redaktor; VINOGRADOV, A.V., retsenzent, redaktor; GUDTSOV, N.T., retsenzent, redaktor; DEGTYAREV, I.L., retsenzent, redaktor; DEM'YANYUK, F.S., retsenzent; redaktor: DOBROSMYSLOV, I.N., retsenzent, redaktor; YELANCHIK, G.M. retsenzent, redaktor: ZHEMOCHKIN, D.N., retsenzent, redaktor: SHURAVCHENKO, A.N., retsenzent, redaktor; ZLODEYEV, G.A., retsenzént, redaktor; KAPLUNOV, R.P., retsenzent, redaktor; KUSAKOV, M.H., retsenzent, redaktor; LEVINSON, L.Ye., [deceased] retsenzent, redaktor; MALOV, N.N., retsenzent, redaktor; MARKUS, V.A. retsenzent, redaktor; METKLITSYN. I.I., retsenzent, redaktor: MIKHAYLOV, S.M., retsenzent; redaktor; OLIVETSKIY, B.A., retsenzent, redaktor; PAVLOV, B.A., retsenzent, redaktor; PANYUKOV, M.P., retsenzent, redaktor; PLAKSIN, I.N. retsenzent, redaktor: RAKOV, K.A. retsenzent, redaktor: RZHAVINSKIY, V.V., retsenzent, redaktor; RINBERG, A.M., retsenzent; redaktor; ROGOVIN, N. Ye., retsenzent, redaktor; RUDENKO, K.G., retsenzent, redaktor; RUTOVSKIY, B.N., [deceased] retsenzent, redaktor; RYZHOV, P.A., retsenzent, redaktor; SANDOMIRSKIY, V.B., retsenzent, redaktor; SKRAMTAYEV, B.G., retsenzent, redaktor; SOKOV, V.S., retsenzent, redaktor; SOKOLOV, N.S., retsenzent, redaktor; SPIVAKOVSKIY, A.O., retsenzent, redaktor; STRAMENTOV, A.Ye., retsenzent, redaktor; STRELETSKIY, N.S., retsenzent, redaktor; (Continued on next card)

ANDREYEV. A.V. (continued) Card 3.

44. 比例的**是**是是是是一个

中華基礎學科

TRET'YAKOV, A.P., retsenzent, redaktor; FAYERMAN, Ye.M., retsenzent, redaktor; KHACHATYROV, T.S., retsenzent, redaktor; CHERNOV, H.V., retsenzent, redaktor; SHERGIN, A.P., retsenzent, redaktor; SHESTO-PAL, V.M., retsenzent, redaktor; SHESHKO, Ye.F., retsemzent, redaktor; SHCHAPOV, N.M., retsenzent, redaktor; YAKOBSON, M.O., retsenzent, redaktor; STEPANOV, Yu.A., Professor, redaktor; DEM'YANYUK, F.S., professor, redaktor; ZNAMENSKIY, A.A., inzhener, redaktor; PLAKSIN, I.N., redaktor; RUTOVSKIY, B.N. [deceased] doktor khimicheskikh nauk, professor, redaktor; SHUKHGAL'TER, L. Ya, kandidat tekhnicheskikh nauk, dotsent, redaktor; BRESTINA, B.S., redaktor; ZNAMENSKIY, A.A., redaktor.

ANDREYEV, A.V. (continued) Card 4.

[Concise polytechnical dictionary] Kratkii politekhnicheskii slovar'. Redaktsionnyi sovet; IU.A.Stepanov i dr. Moskva, Gos. izd-vo tekhniko-teoret. lit-ry, 1955. 1136 p. (MLRA 8:12)

1. Chlen-korrespondent AN SSSR (for Plaksin)

(Technology--Dictionaries)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

MAKHAN'KO, M.G., dotsent; TRIT'YAKOV, A.F., dotsent; KROVETS, A.I., kand. tekhn. nauk

Analyzing the external coefficient of heat transfer by the corrugated surface of diesel locomotive coolers. Trudy Mart no.169:81-92 '63.

(MIRA 17:6)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

TRET'YAKOV, A.P., kand. tekhn. nauk; CHEN kHUA-DIN [Ch'eng Hua-ting], inzh.

Effect of ultrasonic waves on the intensification of heat exchange.

Teploenergetika 7 no.11:64-69 N '60. (MIRA 14:9)

1. Moskovskiy institut inzhenerov zheleznodorozhnogo transporta. (Heat--Transmission) (Ultrasonic waves--Industrial applications)

TRET TAKOV. A.P.; NIKOLAYEV, L.A.; CHEN KHUA-DIN [Ch'eng Hua-ting];

ZERNOVA, M.V.; TULUPOV, V.A.

Cleaning oil sections of coolers without dismounting then from the diesel locomotive. Trudy MIIT no.110:125-150 '59.

(MIRA 13:4)

(Disel locomotives--Maintenance and repair)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

TRET'YAKOV, Aleksandr Petrovich; SMIRNOV, V.A., red.

[Problems of the intensification of the heat exchange of diesel locomotive coolers] Voprosy intensifikatsii teploobmena teplovoznykh kholodil'nikov. Moskva, Vysshaia shkola, 1963. 133 p. (Moscow. Moskovskii institut inzhenerov zheleznodorozhnogo transporta. Trudy, no.133). (MIRA 17:4)

TRET YAKOV, Aleksandr Petrovich, kandidat tekhnicheskikh nauk; SHVETSOV, I.B., redaktor. DMITRIYEVA, R.V., tekhnicheskiy redaktor.

[Technical basis of the increase of freight handling in railroad transportation] Tekhnicheskaia osnova rosta gruzooborota zheleznodorozhnogo transporta. Moskva, Izd-vo "Znanie," 1954. 36 p. (Vse-soiuznoe obshchestvo po rasprostraneniiu politicheskikh i nauchnykh znanii, Ser. 4, no.30)

(Hailroads--Freight)

SHISHKIN, K.A., prof.: [decessed]; DOMBROVSKIY, A.B., dotsent;

TRET'YAKOV, A.P., dotsent; SOLOMENNIKOV, V.A., dotsent;

BOGOYAVLENSKIY, V.N., dotsent; STEPANOV, A.D., doktor tekhn.
nsuk; IVAKOV, V.N., prof.; KUZHETSOV, N.V., kand.tekhn.nsuk;

SLITIKOV, P.A., prof., doktor tekhn.nsuk, retsenzent; GAKKNL',
Ye.Ya., dotsent, doktor tekhn.nsuk, retsenzent; PANSKIY, V.M.,
dotsent, kand.tekhn.nsuk, ratsenzent; LUGININ, N.G., kand.tekhn.
nsuk, red.; KHITROV, P.A., tekhn.red.

[Diesel locomotives] Teplovozy. Moskva, Vses.izdatel'sko-poligr. ob edinenie M-va putei soobshcheniia, 1960. 340 p. (MIRA 14:1)

1. Leningradskiy ordena Lenina institut inzhenerov zheleznodorozhnogo transporta im. akademika V.N.Obraztsova (for Slitikov, Gakkeli, Penskiy).

(Diesel locomotives)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

提出在艾爾聯絡的國際工程企業與工程發展的影響

84923

5/096/60/000/011/009/018

E073/E135

11.9200 AUTHORS:

Tret'vakov, A.P. (Candidate of Technical Sciences) and Chen Khua-Din (Engineer)
Influence of Ultrasonics on Intensifying Heat Exchange

TITLE:

PERIODICAL: Teploenergetika, 1960, No 11, pp 64-66

Results published in the literature (Refs 1-4) on the possibilities of intensifying heat exchange by ultrasonics relate to conditions of natural convection. investigated the influence of ultrasonics on the heat transfer coefficient from a liquid flowing inside a tube to a medium which flows longitudinally on the outside of the tube. experimental work was carried out on three identical setups (Fig 1) at the Physics Chair MIIT, the "Svoboda" works and in the Institute of Mined Fuel, Academy of Sciences, USSR (IGI). or oil was heated in a pressure vessel (3 in Fig 1) to a certain temperature, fed from there through a hose into the experimental length of the tube (2), and from there it flowed into a tank at a The experimental section of the tube (2), which was cooled externally with running water, was subjected to ultrasonic oscillations produced by a magnetostriction vibrator located at a Card 1/3

授**工程,提供**的基础的基础的。

84923

S/096/60/000/011/009/018 E073/E135

Influence of Ultrasonics on Intensifying Heat Exchange distance of 10 mm from the experimental tube. In two installations a single magnetostriction vibrator was used which was placed below the investigated tube, and in the third installation a series of vibrators were used which were placed on both sides of the tube. Each experiment with ultrasonics was preceded by an identical one The heat transfer coefficient in the case without ultrasonics. of ultrasonics acting from one side only with a vibration intensity of 6 W/cm2 showed a 30% increase, whilst in the case of action of the ultrasonics from two sides with an intensity of 7 W/cm2 it It is assumed that in addition to showed an increase of 80%. turbulising the flow under the effect of ultrasonics with a wave front perpendicular to the axis of the tube, a bending wave formed in the latter under the influence of which a standing wave forms in the boundary layer which reduces its thickness. The more intensive the bending wave, the higher will be the amplitude of the standing wave, and the thinner the boundary layer, and consequently the higher will be the heat transfer Special qualitative experiments were carried out coefficient. and from the results the following conclusions are drawn: Card 2/3

CONTROL OF THE PROPERTY OF THE

84923

\$/096/60/000/011/009/018 E073/E135

Influence of Ultrasonics on Intensifying Heat Exchange

1) An increase in the intensity of the ultrasonics brings about an increase in the heat transfer.

2) As a result of increased absorption of the oscillations in solids and in liquids, the effect of ultrasonics on the heat transfer decreases with increasing frequency for an equal intensity (Fig 3).

3) Differing solids have differing absorptions of the ultrasonics and therefore the intensity of the heat transfer depends on the material of the tube; the effect was considerably higher for a duralumin tube than for a copper tube.

4) Practical application of ultrasonics for the purpose of intensifying heat transfer will require further experimental verification of various designs with the aim of utilising fully the energy of the ultrasonic vibrations. There are 3 figures and 4 references: 2 Soviet, 1 English and

l translation.

ASSOCIATION: Moskovskiy institut inzhenerov zheleznodorozhnogo transporta (Moscow Institute of Railroad Card 3/3 Transportation Engineers)

图 福加斯和中国新疆共和国共和国共和国的国际企会会会会

PANOV, N.I., prof.; TRET'YAKOV, A.P.

Selecting the run of pipes of a diesel locomotive radiator,
Trudy MIIT no.151:61-64 '62. (MIRA 16:2)

(Diesel locomotives—Cooling)

PANOV, N.I., prof.; TRET'YAKOV, A.P., dotsent; KOROLEV, N.I., inzh.

Heat transfer through ribbed pipes. Trudy MIIT no.151:42-60

(MIRA 16:2)

(Heat—Transmission) (Diesel locomotives—Cooling)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

PANOV, N.I., prof.; TRET'YAKOV, A.P., dotsent; KOROLEV, N.I., inzh.

Investigating the heat transfer of single flat ribbed pipes depending on the parameters of ribbing. Trudy MIIT no.151: 29-41 '62. (MIRA 16:2)

(Heat—Transmission) (Diesel locomotives—Cooling)

PANOV, N.I., prof.; TRET'YAKOV, A.P., dotsent; MIIAY, N.I., inzh.

Investigating the heat transfer of the single pipes of diesel locomotive coolers. Trudy MIIT no.151:4-28 '62.

(Heat-Transmission) (Diesel locomotives—Cooling)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

PANOV, N.I., prof.; TRET YAKOV, A.P., dotsent; KRAVETS, Z.I., kand. 'tekhn.nauk; KOROLEV, N.I., inzh.

Studying the cooling system of the TGK diesel locomotive. Trudy MIIT no.151:65-74 '62. (MIRA 16:2)

(Diesel locomotives—Cooling)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

"APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R001756530005-9

SOURCE: RZh. Dvigateli vnutrennego sgoraniya, Abs. 6.39.113

AUTHOR: Panov, N. I.; Tretiyakov, A. P.; Korolev, N. I.

TITLE: Heat transfer through ribbed pipes 4

CITED SOURCE: Tr. Mosk. in-ta inzh. zh.-d. transp., vy*p. 151, 1962, 42-60

COPIC TAGS: heat transfer, heat exchanger

TRANSIATION: The authors describe a method of thermal computation of flat heat exchanger pipes with ribs of constant rectangular cross-section. The method is in good agreement with experimental data.

DATE ACQ: 01Jul63

SUB CODE: ND

ENCL: 00

Cord 1/1

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

PANOV, N.I., prof.; TRET'YAKOV, A.P., dotsent; KOROLEV, N.I., inzh.

Selecting the efficient parameters and designs for the oil cooling radiators of diesel locomotive diesel engines. Trudy
MIIT no.169:4-15 '63. (MIRA 17:6)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

PANIV, N.I., prof.; TRET'YAKOV, A.P., dotsent; KRAVETS, Z.I., kand. tekhn. nauk

Investigating the shortened standard sections of the cooler for the TFK2 switch diesel locomotive. Trudy MIIT nc.169:16-27 '63.

(MIM. 17:6)

TRET YAKOV, A.S. (Frunze)

Use of pneumoperitoneum in the compound treatment of tuberculosis of the lungs. Klin. med. 40 no.12:41-42 D 162. (MIRA 17:2)

1. Iz Kirgizskogo nauchno-issledovatel'skogo instituta tuberkuleza (dir. - prof. Yu.A. Volokh, zam. direktora po nauchnoy chasti - prof. S.Ye. Nezlin).

TSELKOV, A.I.; THETIVAKOV A.V., inzhoner.

Computing the pressure of metal on the rollers in cold rolling by taking into account tension and cold hardening. Vest.mash. 34 no.12:10-12 D'54. (MLRA 8:2)

1. Chlen-korrespondent Akademii nauk SSSR (for TSelikov)

(Rolling-mill machinery)

TSELIKOV, A.I.; KOROLEV, A.A., kand. tekhn. nauk; TRET'YAKOV, A.V., kand. tekhn. nauk.

Hew combined multiple roll mill for rolling thin strips. [Trudy]
TSNIITMASH 73:5-28 '55. (HIRA 11:3)

1. Chlen-korrespondent AN SSSR (for TSelikov).

(Rolling mills)

TRET YAKOV, A. V., KOROLEV, A. A.

(Candidates of) Study of Cold-Rolling of Thin Stainless Strip on the Tokbam Combination Rolling Mill," Rolling Mills; Studies, Calculation, Design and Operation, No. 8, Moscow, Mashgiz, 1956. 258 p.

"Hammer + Sickle Plant."

TRET'YAKOV, A.V., kandidat tekhnicheskikh nauk.

Changes in yield limit and strength in relation to the size reduction in the cold rolling of stainless steel strips. Metal-loved.i obr.met. no.4:56-58 Ap '56. (MLRA 9:8)

1. TSentral'nyy nauchno-issledovatel'skiy institut tekhnologii i meshinostroyeniya.

(Steel, Stainless--Cold working) (Rolling (Metalwork))

SOV/124-57-8-9686

Translation from: Referativnyy zhurnal. Mekhanika, 1957, Nr 8, p 151 (USSR)

AUTHORS: Korolev, A. A., Tret'yakov, A. V.

TITLE:

Investigation of the Process of Cold-rolling of a Thin Stainless-steel Strip on a Model-TsKBMM Combination Mill (Issledovaniye protessa kholodnoy prokatki nerzhaveyushchey stal'noy lenty na kombinirovan-

nom stane TsKBMM)

PERIODICAL: V sb.: Prokatnyye stany. Nr 8. Moscow, Mashgiz, 1956, pp 118-

ABSTRACT: Bibliographic entry

Card 1/1

TREI THEOLIAN

130-9-21/21

AUTHOR: None given.

TITLE: New Books (Novyye Knigi)

PERIODICAL: Metallurg, 1957, Nr 9, p.41 (USSR)

ABSTRACT: Reviews of the following books are given: Inter-works Study Group for Progressive Methods of Wire Manufacture (Mezhzavodskaya Shkola Peredovogo Opyta Po Proizvodstvu Provoloki), Moscow, Metallurgizdat, 1957; Merzlyakov, V.I., Treatment and Repair of Rolling Rolls (Obrabotka i Remont Prokatnykh Valkov), Moscow, Metallurgizdat, 1957; Tret'yakov, A.V., Rolling Very Thin Strip (Prokatka Tonchayshey Lenty), Moscow, Metallurgizdat, 1957; Collection of Rationalisers' Proposals, No.71 (Sbornik Ratsionalizatorskikh Predlozheniy No.71).

AVAILABLE: Library of Congress.

Card 1/1

S/137/60/000/011/019/043 A006/A001

Translation from: Referativnyy zhurnal, Metallurgiya, 1960, No.11, p.118, # 26156

AUTHOR: Tret'yakov, A.V.

TITLE: Modern Trends in the Development of Cold Strip Rolling Mills

PERIODICAL: Tr. Mezhvuz. nauchno-tekhn. konferentsii na temu: "Sovrem dostizh. prokatn. proiz-va", Vol. 2, Leningrad, 1959, pp. 45 - 53

TEXT: The author discusses particularities in the design and technology of cold rolling mills including two-roll, multi-roll and combined mills. Basic data are presented on modern cold strip-rolling mills such as: the diameter of working and backing rolls, the length of the working rolls, the strip width, minimum thickness of the finished strip, the weight of a metal roll, capacity of the main motors and maximum rolling speed.

V.M.

Translator's note: This is the full translation of the original Russian abstract.

Card 1/1

\$/122/60/000/009/006/015 A161/A026

AUTHOR:

Tret yakov, A.V., Candidate of Technical Sciences

TITLE:

Torque Calculation for Four-High Rolling Mills With Driving Support

Rolls

PERIODICAL: Vestnik mashinostroyeniya, 1960, No. 9, pp. 44 - 45

TEXT:

Determination of torque transmitted by driving support rolls is important in designing four-high rolling mills for thin strip. This mill design is coming into extensive use. Calulation of torque for mills with driving work rolls has been treated before (Ref. 1); in subject article the problem is analyzed for the case of mills with driving support rolls and idling work rolls, taking into account compression and rolling friction. The forces acting on the work roll are presented graphically (see Figure) for rolling with tension applied to the rolled strip, and without. The final formla for torque required for the rotation of two support rolls is:

Card 1/2

CIA-RDP86-00513R001756530005-9" APPROVED FOR RELEASE: 03/20/2001

S/122/60/000/009/006/015 A161/A026

Torque Calculation for Four-High Rolling Mills With Driving Support

 $\sum_{\alpha} M_0 = 2P_{\alpha} (R_0 \sin \beta + e \cos \beta + \rho_0) = 2P \frac{\cos \alpha}{\cos \beta} (R_0 \sin \beta + e \cos \beta + \rho_0), (10)$ where ρ_0 is the friction-circle radius of the support roll. There is 1 figure and 2 Soviet references.

Card 2/2

POBEDIN, I.S., kand.tekhn.nauk; TRET'YAKOV, A.V., kand.tekhn.nauk;
SH:HEPNIKA, L.V., insh.; REVUNOV, V.A., insh.

Performance of disk shears. Metallurg 5 no.6:30-31
Je '60. (MIRA 13:8)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut metalloobrabetki
i mashinostroyeniya.

(Pipe mills—Equipment and supplies)

(Shears (Machine tools))

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

TRETIYAKOV, A.V., kand.tekhn.nauk

Calculating torques for four-roll rolling mills with driving support rolls. Vest.mash. 40 no.9:14-45 S '60.

(MIRA 13:9)

(Rolling mills)

TRET'YAKOV, Andrey Vladimirovich; LOKSHIN, Boris Yevgen'yevich;

BENYAKOVSKIY, Mark Aleksandrovich; DRUZHININ, N.N., retsenzent;

DRAIYUK, B.N., red.; CHAPAYKINA, F.K., red.izd-va; TURKINA, Ye.D.,
tekhn.red.

[Specific power consumption in cold rolling] Udel'nyi raskhod energii pri kholodnoi prokatke. Sverdlovsk, Gos.nauchno-tekhm. izd-vo lit-ry po chernoi i tsvetnoi metallurgii. Sverdlovskoe otd-nie, 1961. 83 p. (MIRA 14:6)

(Rolling (Metalwork))

	TOPIC YEAR (3) /EWN (3) /EWN (3) /EWN (5) /EWN (
_	
<	OTROE: Ref zh. Mashinostr. mat., konstr. i raschet detal. mash. Otd. 1949., Abs. 5.48.59
	AUTHOR: Tret'yakov, A. V.: Trofimov, G. K.
	DITED SOURCE: Tr. Vses. n-i. i proyektno-konstrukt. in-ta metaliurg. mashinostr., sb. 9, 1963, 210-225
	TOPIC TAGS: work hardened steel, steel mechanical property, structural steel, tool steel, alloy steel, mechanical property interrelation
	TRANSLATION: Results of mechanical property tests are subjected to a statistical interpretation and empirical functions are evolved which relate tensile strength;
	Card1/2

1. 22152-65

ACCESSION NR: AR4045072

yield and Brinell hardness for variously work hardened (0 to 80%) steels. Functions are given for three groups of steels, i.e., structural carbon steels, high quality carbon tool steels and alloy steels, as well as for special purpose steels. Figuations expressing the relationship between the above mechanical properties, the corresponding correlation coefficients and their relationship to mean square ceviations are represented in tabular term

SUB CODE: MM

ENCL: 00

Card 2/2

TRET YAKOV, Andrey Vladimirovich; TROFINOV, Georgiy Konstantinovich; ZYUZIN, Vladimir ivanovich, HOKOTTAN, Ye.S., prof., doktor tekhn. nauk, retsenzent

[Mechanical properties of metals and alloys during their working by pressure] Mekhanicheskie svoistva metallov 1 splavov pri obrabotke davleniem. Mockea, Metallurgiia. 1964. 221 p. (MIRA 18:1)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

TRET!YAKOV, A.V., kand.tekhn.nauk; GRECHOV, E.V., lnzh.

Investigating methods of stationary menaurement of the temperature of rolls on cold rolling mills. Stal! 24 no.2: 52-153 f '64. (Birk 17:9)

1. Nauchno-issledovatel'skiy institut tyazhelogo mashinostroyeniya pri Ural'skom zavode tyazhelogo mashirostroyeniya.

TRET'YAKOV, A.V., kand. tekhn. nauk; TERENT'YEV, V.S., kand. tekhn. nauk; KOBELEV, V.A., inzh.; POZINA, R.A., inzh.

Investigating strip tension of finishing machine coilers.

Sbor. st. NIITIAZHMASHa Uralmashzavoda no.6:260-274 '65.

(MIRA 18:11)

KRASKOVSKIY, Ye.Ya., kand.tekhn.nauk; TRET'YAKOV, A.V., kand.tekhn.nauk;
BONDYUGIN, V.M., inzh.

Experimental investigation of resistance to rolling. Vest.
mashinostr. 45 no.11:26-29 N '65. (MIRA 18:12)

TRET YAKOV, A.V.; LOKSHIN, B.Ye.; GARBER, E.A.; TROFIMOV, G.K.

Use of methods of mathematical processing of experimental data in the engineering and construction laboratory of the Scientific Research Institute of Heavy Machinery at the Ural Heavy Machinery Plant. Zav.lab. 31 no.10:1237-1238 165.

(MIRA 19:1)

TRET'YAKOV, A.V., kand.tekhn.nauk; GRACHEV, A.V., inzh.

Perfecting a device to measure the rolling pressure of metal on the rolls. Sbor. st. NIITIAZHMASHa Uralmashzavoda no.6:165-169 '65. (MIRA 18:11)

TRET'YAKOV, A.V., kand.tekhn.nauk; GRACHEV, A.V., inzh.

Equipment of cold rolling mills. Sbor. st. NIITIAZHMASHa
Uralmashzavoda no.6:170-185 '65.

(MIRA 18:11)

THET'IAKOV, A.V., kand.tekhn.nauk; GARBER, E.A., inzh.

Methods of comparing and analyzing the resistance of rolls used in cold rolling. Sbor. st. NIITIAZHNASHa Uralmashzavoda no.6:228-238 '65. (MIRA 18:11)

TRET'YAKOV, A.V., kand.tekhn.nauk; LOKSHIN, B.Ye., inzh.

Investigating the rigidity of the working stand of a 490/1370X1680 reversing cold rolling mill. Sbor. st.

NIITIAZHMASHa Uralmashzavoda no.6:244-249 '65.


(MIRA 18:11)

L 61829-65 EWT(m)/EW EWA(c) Pf-4 JD/HW AM5011715	P(w)/EWA(d)/T/EWP(t)/EWP(k)/EWP(b)/ UR/ 35 546.3:620.170 B+i	
Tret'yakov, Andrey Vladimirovich; Trofimov, Georgiy Konstantinovich; Zyuzin, Vladimir Ivanovich Mechanical properties of metals and alloys during metalworking by pressure (Mekhanicheskiye svoystva metallov i sulavov pru obrabotka davleniyem), Moscow, Izd-vo "Metallurgiya", 64, 221 p. illus., biblic.			
TOPIC TAGS: metalworking, cold working, metal test, cold rolling, hot rolling, material deformation, plasticity, metal property, plastic deformation PURPOSE AND COVERAGE: The book presents generalized data on the change in mechanical properties of metals and alloys during metalworking by pressure. In cold-rolling they are shown in relation to the degree of deformation and in hot-rolling to relation to temperature, he degree and speed of deformation. The basic methods of mechanical testing in the cold and not state are described, and an analysis of the influence of various factors on the change in mechanical proper-shallow the process of plastic deformation is presented. The cook is intended			
Card 1/3			

1301/2553	数据的数据。据书的信息是对于经验的特别的。是是是是是是是一个人。 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012 1 2012
	3
	L 61829-65
	AM5011715 plents, builders, and workers of scientific research and design organizations plents, builders, and workers of scientific research and design organizations and can be useful for students of higher educational institutions.
u 833 -	English at the state of the sta
	TABLE OF CONTENTS:
	Foreword 3 Ch. I. Mechanical properties of metals and alloys in cold working by pressure 7 Curves of change of the mechanical properties in relation to the degree Curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of change of the mechanical properties in relation to the degree curves of the mechanical properties in relation to the degree curves of the mechanical properties in the contract of the mechanical properties in the curves of the curves of the mechanical properties in the curves of the mechanical properties in the curves of the mechanical properties in the curves of the curv
1	of deformation of metals and alloys in not working of
· ,2, , ,	Ch. 2. Mechanical properties in relation to the tempera- Curves of change of the mechanical properties in relation to the tempera-
	ture 12/
	degree, and speed of the thermomechanical confficients for determined
	deformation resistance 194 deformation among magnitudes of solidity 205 Curves of relation among magnitudes of solidity 205
	0/2
	Card 2/3
(,	

L 61829-65		
AM5011715	사 養養的 그 것이 되는 사람들이 되었다. 그 전 경험을 보고 하는 것이 되었다. 19 전 전 전 전 전 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
Appendix 211	가득 물통하는 것이 되었다. 이번 보이 있는 것이 되었다. 그런	
Bibliography 220	사람들 등은 마음을 받는 말 수 없는 사람들이 가입니다. 그는 그는 나는 나를	
SUB CODE: MH, AS	SURVITTED: 04Ju164 NO REF SOV: 065	
SUB CODE: Fail to		
OTHER: 023		
	물로 통해 경험 시간 경험 경험에 대한 사람들이 되었다. 또 보통하는 사람들이 가는 것이 있는 것이 되었다.	
	사용 등 보고 있는 것이 되었다. 그는 것이 되었다. 	
	사용 통령 시대를 하게 되었다. 사용 전환 경기 시간	
	사용하다 사용하는 사용하다 보고 있습니다. 	
Card 3/3		
Card 3/30		
		7

EMP(k)/EMP(z)/EMA(c)/EMT(d)/EMP(h)/EMP(h)/EMP(b)/T/EMA UR/3104/65 63500-65 ECCESSION NR: ATSO18186 EAP(the JM/JD/HM AUTHORS: Tret yakov, A. V. (Candi late of technical sciences); Lokshin, frofimov, G. K. (Engineer) (Engineer); 49 55 TITLE: Modification of the mechanical properties of steels and the power expenditure during cold rolling on a reversing mill 1680 d SOURCE: Ural'skiy mashinostroitel'nyy zavod, Sverdlovsk. Hauchno-issledovatel'skiy institut tyazhelogo mashinostroyemiya. Proizvodstvo krupnykh mashin, so. 5, 1965. Prokatnove shormdoverive; kon itru rova nive ranchet i issledovanive (Folling equipment: renstraction, let $x \in \mathbb{R}^{n \times n}$ and $x \in \mathbb{R}^{n \times n}$ stands where TOPIC TAGS: cold rolling, steel, metal physical property, soli. mechanical property ABSTRACT: The purpose of the investigation was to obtain additional experimental 14.55 data for design calculations of rolling mills. Carbon and alloy steels were experimentally cold-rolled on a reversing still model 1680 with 1370 mm diameter back-up and 190 mm diameter working roll: driven through a gear reducer by a 1755 km, 300-TO a men DC motion. Two collers with course sections were were universely and set, but - it. The TC mitter. The maximal will but a des war to the teet, a color substitute. material was up to 1500 mm. An amusion type of facilitational little. strength, yield point, and Brinell hardness were determined as funct, ons of the Card 1/2



TRET'YAKOV, A.V.; GRACHEV, A.V.; KOBELEV, V.

Review of the book by I.M.Meerovich and A.S.Filatov "Force reasurement during rolling." Stal 24 no.7:638 Jl 164.

(MIRA 18:1)

TO THE RESIDENCE OF THE PROPERTY OF THE PROPER

TRET 'YAKOV, A.V.; TROFIMOV, G.K.

Empirical formulae for determining the mechanical characteristics Empirical formulae for determining one accommunities of cold-worked steels. Zav. lab. 30 no.7:862-855 '64. (MIRA 18:3)

1. Uraliskiy zavod tyazhelogo mashinostroyeniya.

CIA-RDP86-00513R001756530005-9" APPROVED FOR RELEASE: 03/20/2001

5.39730-65 DP(h)/EWY(b)/	WT(d)/SWP(m)/SWP(w SWP(1)/5.V4.0	/EPF(c)/EHA(d)/Es	F(v)/EPR/T/Edp(t)/	EWD(V)/
THE ROOM OF THE PARTY	WHE ON EACH		ти, 7/64/000/011/D00(
SOURCE: Ref.	zh. Hetallurgi	ya, Abs. 11D5h	1) and anototty pool	0/ D009 - 43
AUTHOR: Tret	tvakov. A. v . n.	naut W	The second second	42 B
Trict: Frict	ion losses in col	d rolling mill	Itanda	D .
netallurg. mas	Tr. Vies. n1. shinost: , sb. 11	1 proyektno-kor	strukt. in-ta	100 (100 (100 (100 (100 (100 (100 (100
TOPIC TAGS: r moment, fricti	olling mill, fri on coe: ficient,	ction loss, cold		
due to frictio	n in the bearing	alysis of losses	in the stends o	f mills
nature of the	change in the an	lysia. It was . lling moment and	established that	rollar the
	change in the ro analogous for be pressure, at cons bearings increase			he tion
Card 1/2	1/	arrage brol	portion to the ro	lling

A CANADA MANAGEMENT OF THE PARTY OF THE PART	constant) in the be with a de- rolle friction	the absolute the rolling arings increase the rolling crease the rolling forment, the rolling manner at the rolling country and	ite reduction and friction and its search Relative classes and its search reduction moment ing friction of the	with mean spand the friction re losses due to the friction re losses due to the friction relation rela	ectly proportion pressure. With ecific pressure coefficient loss offiction incress yield point than moment = :1 ling moment; and 150% rolling moment.	an = 3500 3500 3500 3500 3500 3500 3500 3500
	SUB CODE:		ENCL: 0	÷	* (40-901% rail1 * -46-120)% rail1	ng /
:						

GRISHKOV, A.I., kand.tekhn.nauk; TRET'YAKOV, A.V., kand.tekhn.nauk

Review of A.I.TSelikov's book "Theory of the calculation of forces in rolling mills." Stal' 23 no. 3:256-257 Mr '64.

(MIRA 17:5)


1. TSentral'nyy nauchno-issledovatel'skiy institut chernoy metallurgii imeni I.P.Bardina (for Grishkov). 2. Nauchno-issledovatel'skiy konstruktorsko-tekhnologicheskiy institut tyazhelogo mashinostroyeniya Ural'skogo zavoda tyazhelogo mashinostroyeniya imeni Sergo Ordzhonikidze (for Tret'yakov).

TRET!YAKOV, A.V., kand.takhn.nauk; TERENT!YEV, V.S., inzh.; POZINA, R.A., inzh.

Design of rolling mill reelers and auxiliary units. Vest.mashinostr.

44 no.l:15-16 Ja '64.

(MIRA 17:4)



SUYAROV, Dmitriy Il'ich; BENYAKOVSKIY, Mark Aleksandrovich;
TRET'YAKOV, A.V. red.; VLADIMIROV, Yu.V., red. izd-va;
ISLENT'YEVA, P.G., tekhm. red.

[Quality of thin steel sheets] Kachqstvo tonkikh stal'nykh
listov. Moskva, Izd-vo Metallurgiia, 1964. 174 p.

(MIRA 17:4)

ACCESSION NO: AP4013315

S/0032/64/030/002/0234/0235

AUTHORS: Oreshkin, P. T.; Tret'yakov, A. V.; By*kov, S. B.; Grachev, A. V.; Karateyev, A. D.

TITLE: Thermistors for measuring surface temperatures of bodies

SOURCE: Zavodskaya laboratoriya, v. 30, no. 2, 1964, 234-235

TOPIC TAGS: thermistor, surface temperature, thermistor SMI-1, thermistor SMI-2, thermistor ITV-275

ABSTRACT: The working portions of thermistors SMI-1 and SMI-2 represent grains 0.5 x 0.5 x 0.5 mm in size, consisting of 75% CuO and 25% Fe₂O₃. Two opposite surfaces of each grain are coated with silver. In a contactless thermistor SMI-1 two steel wires are soldered to the silvered surfaces; in a contact thermistor SMI-2 one of the leads is a spring and the other a wire. The working parts are coated either with enamel or with lacquer, the former coating serving up to temperatures of 300-350C, the latter up to 80-100C. Preliminary graduating of thermistors was accomplished on a hollow steel roller with a nichrome heating element installed along its axis. Surface temperatures were measured with a thermocouple. Thermistor SMI-1 was enclosed in a textolite cup and fixed on the roller.

Card 1/2

ACCESSION NO: AP4013315

Contactless thermistor ITV-275 was held at 0.75 $\stackrel{+}{-}$ 0.15 mm from the roller. In both cases the temperatures were somewhat lower than those shown by the thermocouple. This difference increased with the distance from the roller, with the speed of revolution of the roller, and with air circulation. However, for continuously fluid-cooled rollers, the contactless and the contact thermistors gave equal readings. Contactless thermistors were found adaptable to stationary conditions. Readings obtained with a contact thermistor SMI-2 varied with the amount of pressure applied to the spring. For a wet roller these readings were similar to those obtained with SMI-1. The contact thermistor was found useful for measuring surface temperatures of ferromagnetic bodies. It provides readings every 5-7 seconds. Orig. art. has: 2 figures.

ASSOCIATION: Sibirskiy metallurgicheskiy institut i Uralmashzavod (Siberian Metallurgical Institute and Uralmashzavod)

SUBMITTED: 00

DATE ACQ: 26Feb64

ENCL: 00

SUB CODE: SD

NO REF SOV: 002

OTHER: 000

Card 2/2

TRET'YAKOV, A.V., kand. tekhn. nauk; GARBER, E.A., inzh.

New methods of calculating roll durability on cold rolling mills. Stal' 23 no.10:918-921 0 '63. (MIRA 16:11)

l. Nauchno-issledovatel'skiy institut tyazhelogo mashinostroyeniya pri Ural'skom zavode tyazhelogo mashinostroyeniya imeni Sergo Ordzhonikidze.

KHIMICE, G.L.; TRET'YAKOV, A.V.

Modern rolling mills and their equipment. Metallurg 8 no.6:
22-25 Je '63. (MIRA 16:7)

1. Nauchro-issledovatel'skiy konstruktorsko-tekhnologicheskiy institut tyazhelogo mashinostroyeniya Uralmashzavoda.

(Rolling mills)

L 15578-63 EWT(d)/EWP(k)/EWP(q)/EWT(m)/BDS AFFTC/ASD Pf-4 ACCESSION NR: AP3001664 AUTHORS: KM mach C. S/0130/63/000/	006/0022/0025
Tret'yakov, A. V.	63
TITLE: Modern rolling mills and their equipment	62
SOURCE: Metallurg, no. 6, 1963, 22-25	
TOPIC TAGS: rolling mill, mill equipment	
ABSTRACT: The authors discuss the present state of the steel rolling to and the improvements needed for fulfillment of the production plans set the USSR). Further technological development would require a wide appliant the USSR). Further technological development would require a wide appliant this direction: 1) the blooming mill 1300 was designed for a fully a technological process; 2) the continuous four-stand mill 1700 for cold restabled in two plants (its rolling speed is up to 25 m/sec; it is part mills have been installed in several plants (their delivery cyclen are 30 design of a system for accurate measurement of the temperature in the rolling 1/2	by the Party of cation of ve been made utomatic olling was fally eutogened and slab

	L 15578-63						
	ACCESSION NR: high-speed col has: 1 table	d-rolling mill (and 2 figures.	10 m/sec)is	still in th	e research stage	. Orig. art.	
	ASSOCIATION: Machines, Ural SUBMITTED: 00	NIItyazhmesh Ura Mechine Factory	4 · ,		Research Instit	ute for Heavy	
	SUB CODE: ML		DATE ACO: NO REF SOV			ENCL: 00 OTHER: 000	
							TANK TOWN
	Card 2/2						
			STATE OF THE STATE	Tuesta de la companya		0	

TRET'YAKOV, A.V.; POZINA, R.A.

Effect of preheating the rolls on their durability. Metallurg 8 no.1229.30 Ja '63.

1. Nauchno-issledovatel'skiy konstruktorsko-tekhnologicheskiy institut tyazhelogo mashinostroyeniya Ural'skogo zavoda tyazhelogo mashinostroyeniya ineni Sergo Ordzhonikidze.

(Rolls (Iron mills))

TRET YAKOV, A. V., kand. tekhn. nauk; TSZYAN SHAO[Chiang Shao], aspirant; FOZINA, R. A., inzh.

Investigation of coiler drums, Trudy Ural¹, politekh, inst. no.119:50-53 '62. (MIRA 16:1)

(Rolling mills-Fquipment and supplies)

APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R001756530005-9"

Paraller and the second

TRET'YAKOV, A.V.; LOKSHIN, B.Ye.; TROFIMOV, G.K. Investigating the cold rolling of the bimetal Armco iron—ASM alloy. TSvet.met. 35 no.12:48-53 D *62. (MIRA 16:2 (Rolling (Metalwork)) (Laminated metals)

S/124/63/000/003/055/065 D234/D308

AUTHORS:

Tret'yakov, A. V. and Al'brekht, E. G.

TITLE:

Empirical formulas for determining the mechanical

properties of metals in cold rolling

PERIODICAL:

Referativnyy zhurnal, Mekhanika, no. 3, 1963, 35, abstract 3V250 (In collection: Prokatn. proiz-vo. no.2,

Sverdlovsk, Metallurgizdat, 1960, 21-24)

TEXT: The author found a regularity in the type and magnitude of the variation of strength and yield limits during deformation for different groups of metals. As a result of analysis of a large volume of experimental data they succeeded in distinguishing five groups of metals: low-carbon steels, quality carbon steels, high-quality carbon steels, aluminum alloys and copper alloys (brass). Abstracter's note: Complete translation.

Card 1/1

S/130/63/000/001/007/008 A006/A101

AUTHORS: Tret'yakov, A. V., Pozina, R. A.

TITLE: The effect of roll preheating upon their durability

PERIODICAL: Metallurg, no. 1, 1963, 29 - 30

TEXT: Preheating of cold-rolling mill rolls is performed to prevent sharp temperature changes during their operation. When the preliminarily heat treated rolls are mounted on the mill, residual stresses are relieved during accelerated relaxation; overstresses are prevented in the roll body during the initial moment of rolling. Experimental investigations were carried out at a Leningrad steel rolling plant with the participation of E. A. Garber, A. A. Kholostykh, M. A. Kopanov and A. L. Sukhanov. The rolls were preheated in an electric oil bath at 45 - 55°C for 2 - 4 hours. Their mean durability was 45.5 hours against 17.5 hours for rolls that were not subjected to preliminary heat treatment.

ASSOCIATION: NIITYAZhMASh Uralmashzavoda (Uralmashzavod Scientific Research Institute of Heavy Machinebuilding)

Card 1/1

S/136/62/000/012/001/001 E081/E483

AUTHORS: Tret'yakov, A.V., Lokshin, B.Ye., Trofimov, G.K.

TITLE: A study of cold rolling of armco iron / ACM (ASM)

alloy bimetal strip

的复数 建铁铁矿 化自动工作的 经收益的证据 计分子

PERIODICAL: Tsvetnyye metally, no.12, 1962, 48-53

TEXT: The authors studied the effect of total reduction in rolling on the relative thickness of the bimetal strip components, the latter parameter being characterized by $c = h_{Zh}/h_D$, where h_D and h_{Zh} denote the total thickness of the strip and the thickness of the iron layer respectively. It was found that, thickness of the initial value of c, its magnitude increased irrespective of the initial value of c, its magnitude increased irrespective with increasing total reduction, reached a maximum at linearly with increasing total reduction, reached a maximum at 15 to 50% reduction and then remained practically constant. The 45 to 50% reduction and then remained practically unaffected by the final value of c depended only on its initial value and on the total reduction of the strip, being practically unaffected by the total reduction of the strip, being practically unaffected by the total reduction of the strip, being practically unaffected by the total reduction of the strip or by the roll diameter. The experimental results were used to derive formulae expressing the final thickness of the iron layer in a bimetal strip as a function of the initial value of c and vice versa. In the Card 1/2

A study of cold rolling ...

S/136/62/000/012/001/001 E081/E483

second stage of the investigation the roll pressure in cold rolling of iron/ASM alloy bimetal strip was evaluated. Based on experimental data, formulae were first derived expressing the UTS and 0.2% proof stress of the bimetal strip as a function of the UTS and 0.2% proof stress of the two component materials and the relative thickness of each component layer. These formulae were then used for deriving expressions for the roll pressure whose reliability is proved by the fact that they yielded values differing only by 10 to 15% from experimental data. Analysis of the formulae obtained showed that the roll pressure in rolling bimetal strip is, in addition to the usual factors, greatly affected by the initial value of c and by the difference in the contact friction of the two components of the strip. There are

Card 2/2

TRET'YAKOV, A.V., kand.tekhn.nauk; GAREER, E.A., inzh.; POZINA, R.A., inzh.

Galculating thermal stresses in rolls during cold rolling. Vest.
mashinostr. 42 no.7:28-30 Jl '62. (MIRA 15:3)
(Rolling (Metalwork)) (Thermal stresses)

POHEDIN, I.S.; TRET MAKOV, A.V.; SHCHEPNINA, L.V.; REVUNOV, V.A.

Investigating the operation or rotary slitting shears.
Prokat, proizv, no,2:30-43 '60. (MIRA 14:11)
(Rolling mills—Equipment and supplies)
(Shears(Machine tools))

TRET'YAKOV, Andrey Vladimirovich; POBEDIN, I.S., kand. tekhn. nauk, retsenzent; LEDNEV, Mikhail Petrovich, red.; SYRCHINA, H.M., red. izd-va; MAL'KOVA, N.T., tekhn. red.

[Cold-rolling mill potentialities] Rezervy stanov kholodnoi prokatki. Sverdlovsk, Metallurgizdat, 1962. 197 p. (MIRA 15:9)

(Rolling mills)